




1 / 14

FIG. 1a



TO FIG. 1b

FIG. 1b






FIG. 1c

3 / 14

FROM FIG. 1b



*FIG. 1d*




FIG. 2

5

6

NEW DESIGN

OPEN DESIGN

SAVE DESIGN

DRAW/DESIGN

DROP

TEXT LABEL

SELECT MODE

INPUT DIALOG

PRINT

HELP

DESIGN AREA | PARTS LIST | QUOTE | PURCHASE ORDER | ORDER ACKNOWLEDGEMENT |

QUOTE PRICE: \$0.00

30'

25'

20'

15'

10'

5'

35'

7

8

INPUT DIALOG

WELCOME SCREEN | PRODUCT INPUT SCREEN |

RESELLER NAME AND ADDRESS:

RESELLER FIRSTNAME LAST NAME

ADDRESS LINE 1

ADDRESS LINE 2

ADDRESS LINE 3

ADDRESS LINE 4

SUPPLIER ADDRESS:

RESELLER PHONE: (888) 888-8888

RESELLER E-MAIL: WWW.XXX.COM

DISCOUNT RATE: 15

TERMS OF DELIVERY: EXW (EX WORKS)

SALES TAX (ON SALES VALUE): 00.00

RESELLER FAX: (888) 888-4444

RESELLER WWW: WWW.XXX.COM

RESELLER HOMEBASE: THOMASVILLE

TERMS OF PAYMENT: 30 DAYS NET

SALES TAX (PURCHASE ORDER): 00.00

OK

CANCEL

NEW DESIGN

OPEN DESIGN

SAVE DESIGN

DRAW/DESIGN

DROP

TEXT LABEL

SELECT MODE

INPUT DIALOG

PRINT

HELP

QUOTE PRICE: \$0.00

INPUT DIALOG

WELCOME SCREEN

WELCOME SCREEN

10

11

12

10

4500

1.5

1

13

CUSTOMER ADDRESS

CUSTOMER FIRSTNAME LASTNAME

ADDRESS LINE 1

ADDRESS LINE 2

ADDRESS LINE 3

ADDRESS LINE 4

CUSTOMER DELIVERY ADDRESS

CUSTOMER DELIVERY ADDRESS

ADDRESS LINE 1

ADDRESS LINE 2

ADDRESS LINE 3

ADDRESS LINE 4

OK

CANCEL

5

10'

15'

20'

25'

30'

35'

20'

15'

10'

5'

FIG. 4




FIG. 5

24

25

NEW DESIGN

OPEN DESIGN

SAVE DESIGN

DRAW DESIGN

25

DUCT RUN <DROP> PROPERTIES DIALOG

19

4

392

20

21

1	3200-0400-100000	PIPE 4"QF X 59.25" LONG GA
1	3202-0400-100000	ADJ NIPPLE W/O RING 4" QF GALV
1	3260-0400-100000	CLAMP W/ PIN QF 4" GALV.
1	3240-0400-100000	BLAST GATE 4" QF GALV.
1	3280-0400-100000	HOSE ADAPTER 4" QF GALV.
1	3282-0400-000000	RUBBER HOSE 4" ID

22

ADD PART

DELETE PART

23

OK

CANCEL

24

?

HELP

PRINT

INPUT DIALOG

SELECT MODE

TEXT LABEL

DROP

NEW DESIGN

OPEN DESIGN

SAVE DESIGN

DRAW DESIGN

QUOTE PRICE: \$0.00

9 / 14

FIG. 6




FIG. 7




FIG. 8

NEW DESIGN		OPEN DESIGN	SAVE DESIGN	DRAW DESIGN	DROP	TEXT LABEL	SELECT MODE	INPUT DIALOG	PRINT	HELP	
44	45	46	47	48	49	50					
0	3200-0400-100000	PIPE 4"QF X59.25" LONG GA			END POINT	15.0					
1	3200-0400-100000	PIPE 4"QF X59.25" LONG GA			DROP1	15.0					
1	3202-0400-100000	ADJ NIPPLE W/O-RING 4"QF GALV			DROP1	8.5					
2	3260-0400-100000	CLAMP W/PIN QF 4" GALV.			DROP1	5.4					
1	3240-0400-100000	BLAST GATE 4" QF GALV.			DROP1	25.0					
1	3280-0400-100000	HOSE ADAPTER 4" QF GALV.			DROP1	5.91					
1	3282-0400-100000	RUBBER HOSE 4" ID			DROP1	5.0					
1	3200-0600-100000	PIPE 6"QF X59.25" LONG GA			DROP3	19.8					
1	3202-0600-100000	ADJ NIPPLE W/O-RING 6"QF GALV			DROP3	9.0					
2	3260-0600-100000	CLAMP W/PIN QF 6" GALV.			DROP3	5.91					
1	3240-0600-100000	BLAST GATE 6" QF GALV.			DROP3	34.21					
							53				
							51				
0	3200-0400-100000	PIPE 4"QF X59.25" LONG GA			BROWSER_DCT	15.0					
	3200-0500-100000	PIPE 5"QF X59.25" LONG GA			BROWSER_DCT	16.5					
	3200-0600-100000	PIPE 6"QF X59.06" LONG GA			BROWSER_DCT	19.8					
	3200-0700-100000	PIPE 7"QF X59.06" LONG GA			BROWSER_DCT	24.3					
	3200-0800-100000	PIPE 8"QF X59.06" LONG GA			BROWSER_DCT	27.3					
	3200-0900-100000	PIPE 9"QF X59.06" LONG GA			BROWSER_DCT	29.5					
	3200-1000-100000	PIPE 10"QF X59.06" LONG GA			BROWSER_DCT	31.8					
	3200-1200-100000	PIPE 12"QF X59.75" LONG GA			BROWSER_DCT	38.0					
	3200-1400-100000	PIPE 14"QF X59.75" LONG GA			BROWSER_DCT	49.0					
	3200-1600-100000	PIPE 16"QF X59.75" LONG GA			BROWSER_DCT	63.5					
	3200-1800-100000	PIPE 18"QF X59.75" LONG GA			BROWSER_DCT	70.0					
	3200-2000-100000	PIPE 20"QF X59.75" LONG GA			BROWSER_DCT	84.0					
	3200-2200-100000	PIPE 22"QF X59.75" LONG GA			BROWSER_DCT	93.0					
	3201-2400-100000	PIPE 24"FLX 6" LONG GA			BROWSER_DCT	147.9					
							52				

FIG. 9

NEW DESIGN OPEN DESIGN SAVE DESIGN DRAW DESIGN DROP TEXT LABEL SELECT MODE INPUT DIALOG PRINT HELP																																																																																																																																											
56																																																																																																																																											
57																																																																																																																																											
<div> <div> CUSTOMER FIRSTNAME LASTNAME ADDRESS LINE 1 ADDRESS LINE 2 ADDRESS LINE 3 ADDRESS LINE 4 </div> <div> CUSTOMER DELIVERY ADDRESS ADDRESS LINE 1 ADDRESS LINE 2 ADDRESS LINE 3 ADDRESS LINE 4 </div> <div> RESELLER FIRSTNAME LASTNAME ADDRESS LINE 1 ADDRESS LINE 2 ADDRESS LINE 3 ADDRESS LINE 4 </div> </div>																																																																																																																																											
<table border="1"> <thead> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5</td> <td>3200-0400-100000</td> <td>PIPE 4"QF X59.25" LONG GA</td> <td></td> <td>19.13</td> <td>95.65</td> </tr> <tr> <td>1</td> <td>3200-0600-100000</td> <td>PIPE 6"QF X59.25" LONG GA</td> <td></td> <td>25.25</td> <td>25.25</td> </tr> <tr> <td>1</td> <td>3200-0800-100000</td> <td>PIPE 4"QF X59.25" LONG GA</td> <td></td> <td>34.81</td> <td>34.81</td> </tr> <tr> <td>2</td> <td>3200-0900-100000</td> <td>PIPE 8"QF X59.06" LONG GA</td> <td></td> <td>37.61</td> <td>75.22</td> </tr> <tr> <td>3</td> <td>3200-1000-100000</td> <td>PIPE 10"QF X59.06" LONG GA</td> <td></td> <td>40.55</td> <td>121.65</td> </tr> <tr> <td>4</td> <td>3202-0400-100000</td> <td>ADJ NIPPLE W/O-RING 4"QF GALV</td> <td></td> <td>10.84</td> <td>43.36</td> </tr> <tr> <td>1</td> <td>3202-0600-100000</td> <td>ADJ NIPPLE W/O-RING 6"QF GALV</td> <td></td> <td>11.48</td> <td>11.48</td> </tr> <tr> <td>1</td> <td>3202-0800-100000</td> <td>ADJ NIPPLE W/O-RING 8"QF GALV</td> <td></td> <td>14.03</td> <td>14.03</td> </tr> <tr> <td>1</td> <td>3202-0900-100000</td> <td>ADJ NIPPLE W/O-RING 9"QF GALV</td> <td></td> <td>14.8</td> <td>14.8</td> </tr> <tr> <td>1</td> <td>3202-0600-100000</td> <td>ADJ NIPPLE W/O-RING 10"QF GALV</td> <td></td> <td>15.06</td> <td>15.06</td> </tr> <tr> <td>2</td> <td>3200-0700-100000</td> <td>ELBOW 4" 90DEG OF 1.0CLRGA</td> <td></td> <td>33.66</td> <td>67.32</td> </tr> <tr> <td>1</td> <td>3200-0800-100000</td> <td>ELBOW 4" 90DEG OF 1.0CLRGA</td> <td></td> <td>33.66</td> <td>33.66</td> </tr> <tr> <td>1</td> <td>3200-0900-100000</td> <td>ELBOW 6" 60DEG OF 1.0CLRGA</td> <td></td> <td>44.89</td> <td>44.89</td> </tr> <tr> <td>1</td> <td>3200-1000-100000</td> <td>BRANCH A=08 B=06 C=04</td> <td></td> <td>82.24</td> <td>82.24</td> </tr> <tr> <td>1</td> <td>3200-1200-100000</td> <td>BRANCH A=09 B=04 C=08</td> <td></td> <td>86.06</td> <td>86.06</td> </tr> <tr> <td>1</td> <td>3200-1400-100000</td> <td>BRANCH A=10 B=04 C=09</td> <td></td> <td>91.8</td> <td>91.8</td> </tr> <tr> <td>3</td> <td>3200-1600-100000</td> <td>BLAST GATE 4" QF GALV.</td> <td></td> <td>31.88</td> <td>95.64</td> </tr> <tr> <td>1</td> <td>3200-1800-100000</td> <td>BLAST GATE 6" QF GALV.</td> <td></td> <td>43.62</td> <td>43.62</td> </tr> <tr> <td>16</td> <td>3200-2000-100000</td> <td>CLAMP W/PIN QF 4" GALV.</td> <td></td> <td>6.9</td> <td>110.4</td> </tr> <tr> <td>5</td> <td>3200-2200-100000</td> <td>CLAMP W/PIN QF 6" GALV.</td> <td></td> <td>7.54</td> <td>37.7</td> </tr> <tr> <td>2</td> <td>3201-2400-100000</td> <td>CLAMP W/PIN QF 8" GALV.</td> <td></td> <td>8.17</td> <td>16.34</td> </tr> <tr> <td>3</td> <td>3201-2400-100000</td> <td>CLAMP W/PIN QF 9" GALV.</td> <td></td> <td>8.5</td> <td>25.62</td> </tr> </tbody> </table>								5	3200-0400-100000	PIPE 4"QF X59.25" LONG GA		19.13	95.65	1	3200-0600-100000	PIPE 6"QF X59.25" LONG GA		25.25	25.25	1	3200-0800-100000	PIPE 4"QF X59.25" LONG GA		34.81	34.81	2	3200-0900-100000	PIPE 8"QF X59.06" LONG GA		37.61	75.22	3	3200-1000-100000	PIPE 10"QF X59.06" LONG GA		40.55	121.65	4	3202-0400-100000	ADJ NIPPLE W/O-RING 4"QF GALV		10.84	43.36	1	3202-0600-100000	ADJ NIPPLE W/O-RING 6"QF GALV		11.48	11.48	1	3202-0800-100000	ADJ NIPPLE W/O-RING 8"QF GALV		14.03	14.03	1	3202-0900-100000	ADJ NIPPLE W/O-RING 9"QF GALV		14.8	14.8	1	3202-0600-100000	ADJ NIPPLE W/O-RING 10"QF GALV		15.06	15.06	2	3200-0700-100000	ELBOW 4" 90DEG OF 1.0CLRGA		33.66	67.32	1	3200-0800-100000	ELBOW 4" 90DEG OF 1.0CLRGA		33.66	33.66	1	3200-0900-100000	ELBOW 6" 60DEG OF 1.0CLRGA		44.89	44.89	1	3200-1000-100000	BRANCH A=08 B=06 C=04		82.24	82.24	1	3200-1200-100000	BRANCH A=09 B=04 C=08		86.06	86.06	1	3200-1400-100000	BRANCH A=10 B=04 C=09		91.8	91.8	3	3200-1600-100000	BLAST GATE 4" QF GALV.		31.88	95.64	1	3200-1800-100000	BLAST GATE 6" QF GALV.		43.62	43.62	16	3200-2000-100000	CLAMP W/PIN QF 4" GALV.		6.9	110.4	5	3200-2200-100000	CLAMP W/PIN QF 6" GALV.		7.54	37.7	2	3201-2400-100000	CLAMP W/PIN QF 8" GALV.		8.17	16.34	3	3201-2400-100000	CLAMP W/PIN QF 9" GALV.		8.5	25.62
5	3200-0400-100000	PIPE 4"QF X59.25" LONG GA		19.13	95.65																																																																																																																																						
1	3200-0600-100000	PIPE 6"QF X59.25" LONG GA		25.25	25.25																																																																																																																																						
1	3200-0800-100000	PIPE 4"QF X59.25" LONG GA		34.81	34.81																																																																																																																																						
2	3200-0900-100000	PIPE 8"QF X59.06" LONG GA		37.61	75.22																																																																																																																																						
3	3200-1000-100000	PIPE 10"QF X59.06" LONG GA		40.55	121.65																																																																																																																																						
4	3202-0400-100000	ADJ NIPPLE W/O-RING 4"QF GALV		10.84	43.36																																																																																																																																						
1	3202-0600-100000	ADJ NIPPLE W/O-RING 6"QF GALV		11.48	11.48																																																																																																																																						
1	3202-0800-100000	ADJ NIPPLE W/O-RING 8"QF GALV		14.03	14.03																																																																																																																																						
1	3202-0900-100000	ADJ NIPPLE W/O-RING 9"QF GALV		14.8	14.8																																																																																																																																						
1	3202-0600-100000	ADJ NIPPLE W/O-RING 10"QF GALV		15.06	15.06																																																																																																																																						
2	3200-0700-100000	ELBOW 4" 90DEG OF 1.0CLRGA		33.66	67.32																																																																																																																																						
1	3200-0800-100000	ELBOW 4" 90DEG OF 1.0CLRGA		33.66	33.66																																																																																																																																						
1	3200-0900-100000	ELBOW 6" 60DEG OF 1.0CLRGA		44.89	44.89																																																																																																																																						
1	3200-1000-100000	BRANCH A=08 B=06 C=04		82.24	82.24																																																																																																																																						
1	3200-1200-100000	BRANCH A=09 B=04 C=08		86.06	86.06																																																																																																																																						
1	3200-1400-100000	BRANCH A=10 B=04 C=09		91.8	91.8																																																																																																																																						
3	3200-1600-100000	BLAST GATE 4" QF GALV.		31.88	95.64																																																																																																																																						
1	3200-1800-100000	BLAST GATE 6" QF GALV.		43.62	43.62																																																																																																																																						
16	3200-2000-100000	CLAMP W/PIN QF 4" GALV.		6.9	110.4																																																																																																																																						
5	3200-2200-100000	CLAMP W/PIN QF 6" GALV.		7.54	37.7																																																																																																																																						
2	3201-2400-100000	CLAMP W/PIN QF 8" GALV.		8.17	16.34																																																																																																																																						
3	3201-2400-100000	CLAMP W/PIN QF 9" GALV.		8.5	25.62																																																																																																																																						

FIG. 10

NEW DESIGN

OPEN DESIGN

SAVE DESIGN

DRAW DESIGN

DROP

TEXT LABEL

SELECT MODE

INPUT DIALOG

PRINT

HELP

60

58

59

QUOTE PRICE \$1,393.92

NORFAD INC.

150 TRANSIT AVEW. P.D. BOX 429

THOMASVILLE, NC 27361-0429

ATTN: CONTACT PERSON

PHONE: (555) 555-5555

FAX: (555) 555-5555

E-MAIL: CONTACT@NORFAD.COM

WWW.NORFAD.COM

CUSTOMER DELIVERY ADDRESS

ADDRESS LINE 1

ADDRESS LINE 2

ADDRESS LINE 3

ADDRESS LINE 4

RESELLER FIRSTNAME LASTNAME

ADDRESS LINE 1

ADDRESS LINE 2

ADDRESS LINE 3

ADDRESS LINE 4

NORFAD QUICK-FIT			
5	3200-0400-100000	PIPE 4"QF X59.25" LONG GA	15
1	3200-0600-100000	PIPE 6"QF X59.25" LONG GA	19.3
1	3200-0800-100000	PIPE 8"QF X59.25" LONG GA	27.3
2	3200-0900-100000	PIPE 9"QF X59.25" LONG GA	29.5
3	3200-1000-100000	PIPE 10"QF X59.06" LONG GA	31.8
4	3200-0400-100000	ADJ NIPPLE W/O RING 4"QF GALV	8.5
1	3202-0600-100000	ADJ NIPPLE W/O RING 6"QF GALV	9
1	3202-0800-100000	ADJ NIPPLE W/O RING 8"QF GALV	11
1	3202-0900-100000	ADJ NIPPLE W/O RING 9"QF GALV	11.61
1	3202-1000-100000	ADJ NIPPLE W/O RING 10"QF GALV	11.81
2	3210-0460-104000	ELBOW 4"60 DEG. QF 1.0CLRGA	26.4
1	3210-0490-104000	ELBOW 4"90 DEG. QF 1.0CLRGA	26.4
1	3210-0660-106000	ELBOW 4"60 DEG. QF 1.0CLRGA	35.21
1	3220-0660-10400	BRANCH A=08 B=06 C=04	64.5
1	3220-0904-10800	BRANCH A=09 B=04 C=08	67.5
1	3220-1004-10900	BRANCH A=10 B=04 C=09	72
3	3240-0400-100000	BLAST GATE 4"QF GALV.	25
1	3240-0600-100000	BLAST GATE 6"QF GALV.	34.21
16	3260-0400-100000	CLAMP W/ PIN QF 4" GALV.	5.41
			86.56